

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	85	bogin-zohar\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 12:58
L2	5	chartrand-brent-d\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 12:57
L3	7	hunter-arthur-d\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 12:57
S9	1	"20050172040".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:23
S10	2	"20050114569".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 15:00
S11	0	isochronouse near3 pci	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 15:00
S12	42	isochronous near3 pci	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:18
S13	0	S12 same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 15:01

## EAST Search History

S14	15	S12 and codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 15:56
S16	240	((isochronous near3 pci) pci\$express)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:18
S17	24	S16 and (track\$4 full empty position) near3 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:19
S18	34	S16 and (track\$4 full empty position) near3 (buffer memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:01
S19	21002	S18 codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:20
S20	9	S18 and codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:01
S21	184070	(track\$4 full empty position value) near3 (buffer memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:23
S22	194908	(track\$4 full empty position value) near3 (buffer memory fifo queue)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:31

## EAST Search History

S23	174	S22 with codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:24
S24	14	S23 and isochronous	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:24
S25	15	(track\$4 full empty position value) near3 (buffer memory fifo queue) with controller with codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:42
S26	1	(track\$4 updat\$4) near3 (full empty position value) near3 (buffer memory fifo queue) with controller with codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:43
S27	1	(track\$4 updat\$4) near3 (full empty position value) near3 (buffer memory fifo queue) with codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 08:43
S28	5625	(track\$4 updat\$4) near3 (full empty position value) near3 (buffer memory fifo queue)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:13
S29	4	S28 same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:13
S30	8	("20010016883"   "20010056353"   "5247671"   "5648778"   "5799064"   "5878217"   "6263410"   "6279119").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 08:57
S31	2	S30 and codec	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 08:57

## EAST Search History

S32	1	S30 and (track\$4 updat\$4) near3 (full empty position value)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 08:58
S33	17246	audio near4 stream\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 08:59
S34	3736	S22 and S33	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 08:59
S35	3387	codec with (buffer memory fifo queue)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 08:59
S36	220	S34 and S35	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 09:00
S37	19358	value near4 (position location) with (buffer memory fifo queue)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 09:01
S38	18	S36 and S37	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 09:01
S39	261	((isochronous near3 pci pci\$express)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:03
S40	37	S39 and (track\$4 full empty position) near3 (buffer memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:01
S41	10	S40 and codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:02
S42	15	(pci\$express (pci adj express)) and (audio near4 codec)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:04

## EAST Search History

S43	5793	(track\$4 updat\$4) near3 (full empty position value progress) near3 (buffer memory fifo queue)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:11
S44	4	S43 same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:16
S45	17483	audio near4 stream\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 09:15
S46	136	S43 and S45	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/10 09:15
S47	102	S43 and codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:17
S48	24	S46 and S47	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:17
S49	5359	(track\$4 updat\$4) near3 (position value progress) near3 (buffer memory fifo queue)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:11
S50	1302	(track\$4 updat\$4) near3 (position) near3 (buffer memory fifo queue)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:11
S51	4	S50 same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:11

## EAST Search History

S53	0	"further consisting"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:43
S54	21	(system main) adj memory with position with value with writ\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:02
S55	21	(system main) adj memory with position with value with writ\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:05
S56	1	(system main) adj memory with position with track\$3 with progress	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:05
S57	4	(system main) adj memory with position with track\$3 with value	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:03
S58	1	(system main) adj memory with position with track\$3 with flow	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:04
S59	6	(buffer or ((system main) adj memory) )with position with track\$3 with flow	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:04
S60	450	(buffer ) with position with value with writ\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:10

## EAST Search History

S61	5	(buffer ) with position with track\$3 with progress	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:09
S62	2901	710/29,33,34,52,57.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:07
S63	15	S60 and S62	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:07
S64	2	(buffer ) with location with track\$3 with progress	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:09
S65	4274	(buffer ) with value with transfer\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:10
S66	200	S62 and S65	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:10
S67	957	S65 same (count counter)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:11
S68	70	S67 and S62	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:11

## EAST Search History

S69	5	S67 same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:13
S70	2	S60 same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:15
S71	62	store near4 value with (position location) with (system main) adj memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:16
S72	271	stor\$3 near4 value with (position location) with (system main) adj memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:16
S73	34	store near4 value near5 (position location) with (system main) adj memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:49
S74	2	store near4 (much many) near5 (position location) with (system main) adj memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:49
S75	5606	contact adj switching	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:01
S76	0	contact adj switching near5 ((system main) adj memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:01



## EAST Search History

S77	0	contact adj switching with ((system main) adj memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:02
S78	23	context adj switching with ((system main) adj memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:03
S79	11	context adj switching near3 dma	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:06
S80	0	context adj switching near3 dmac	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:06
S81	20	context adj switching near5 dma\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:32
S93	32	(transfer\$3 send\$3 transmit\$4 receiv\$3) near4 (channel path link) with position adj (count counter)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:30
S94	12425	position adj (count counter)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:03
S95	95	position adj (count counter) near4 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:46

## EAST Search History

S96	0	S95 same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:03
S97	1	S95 and codec near5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:03
S98	1	position adj (count counter) near4 codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:04
S99	32	position adj (count counter) near4 link	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:24
S10 0	104	position adj (count counter) near4 (channel path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:23
S10 1	11	position adj (count counter) near4 (channel path) with (transfer\$3 send\$3 transmit\$4 receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:23
S10 2	5	position adj (count counter) near4 link with (transfer\$3 send\$3 transmit\$4 receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:24
S10 3	2904	710/29,33,34,52,57.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:26

## EAST Search History

S10 4	1	S95 and S103	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:27
S10 5	0	S100 and S103	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:27
S10 6	1	S99 and S103	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:27
S10 8	22	"5452432".pn. "5530941".pn. "5664197".pn. "5678009".pn. "5708849".pn. "5729762".pn. "5751994".pn. "5794070".pn. "5805842".pn. "6108743".pn. "5862387".pn. "5996038".pn. "6119189".pn. "6131127".pn. "6151654".pn. "6157970".pn. "6275242".pn. "6385671".pn. "6401144".pn. "6438686".pn. "6560657".pn. "6567953".pn.	USPAT	OR	ON	2006/01/20 17:47
S10 9	3094	710/29,33,34,52,57.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:08
S11 0	15	(track\$4 full empty position value) near3 (buffer memory fifo queue) with controller with codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:08
S11 1	454	((isochronous near3 pci) pci\$express)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:08

## EAST Search History

S11 2	58	S111 and (track\$4 full empty position) near3 (buffer memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:08
S11 3	11	S112 and codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:10
S11 4	10	S109 and S111	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:10
S11 5	6	S109 and S112	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 14:10
S11 6	97	position adj (count counter) near4 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:56
S11 7	0	S116 same system adj memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:47
S11 8	11	S116 with memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:47
S11 9	26	azalia	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:56

## EAST Search History

S12 0	3209	710/29,33,34,52,57.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 12:47
S12 1	1	S116 and S120	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:42
S12 2	6050	(track\$4 updat\$4) near3 (position value progress) near3 (buffer memory fifo queue)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:55
S12 3	52	S120 and S122	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:57
S12 4	15534	(descriptor handle) near4 (buffer memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 12:55
S12 5	3357	710/29,33,34,52,57.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 12:47
S12 6	100	position adj (count counter) near4 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 12:48
S12 7	0	S124 same S126	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 12:48

## EAST Search History

S128	7	S124 and S126	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 12:49
S129	437	S124 and S125	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 12:49
S130	21	S129 and codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 12:49
S131	4895	S124 same (transfer\$4 send\$3 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 12:55
S132	52	isochronous near3 pci	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 12:14
S133	52	isochronous near3 pci\$8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 11:06
S134	0	isochronous with pci\$8 with dma with codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 12:14
S135	0	isochronous with pci\$8 same dma same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 12:14

## EAST Search History

S13 6	361	dma with codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 12:15
S13 7	7	S133 and S136	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 12:15
S13 8	1	dma with codec with isochronous	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 12:16
S13 9	2	dma with codec same isochronous	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 12:17
S14 0	3483	710/29,33,34,52,57.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 12:16
S14 1	2	( dma direct adj memory adj access)with codec same isochronous	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 12:46
S14 2	15	S136 and S140	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 15:21
S14 3	2364	pci\$1express pci\$1e pcie and isochronous\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 12:46

## EAST Search History

S14 4	31	(pci\$1express pci\$1e pcie) and isochronous\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 15:48
S14 5	9	( dma direct adj memory adj access)and S144	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 12:47
S14 6	0	S145 and codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 12:47
S14 7	2	S144 and codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 12:47
S14 8	1	(pci\$1express pci\$1e pcie) same ( dma direct adj memory adj access) same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 15:51
S14 9	9	(pci\$1express pci\$1e pcie) and ( dma direct adj memory adj access) and codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 12:50
S15 0	3487	710/29,33,34,52,57.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 13:04
S15 1	1	S144 and S150	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 13:04



## EAST Search History

S15 2	43	(pci\$1express pci\$1e pcie) with advantage	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 15:50
S15 3	1584	(pci\$1express pci\$1e pcie) with "pci"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 15:50
S15 4	1	S153 same ( dma direct adj memory adj access) same codec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 15:52
S15 5	468	isochronous\$2 near3 (interface adapter)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 15:53
S15 6	0	S155 with rule	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 15:53
S15 7	12780	interface with rule	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 17:16
S15 8	37	S153 and S157	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 15:53
S15 9	277	interface with order\$3 near2 rule	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 17:20

## EAST Search History

S16 0	32	S159 and isochronous\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 17:16
S16 1	2	interface with order\$3 near2 rule with (lax relax\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 12:56